

New series of rain hoppers, consisting of:

- HL600N - New, revised rain hopper, replaces HL600
- HL600NHO - version with horizontal inlet
- HL601I - Extension for individual styling of the pavement surface

HL600N Rain hopper - delivery from June 2017

HL600NG Rain hopper with visible parts made of cast iron - delivery from July 2017



Strongly altered weather conditions, due to the climate change, and more intensive heavy rainfalls in turns of long dry periods have increased the demands on the whole roof drainage and therefore also on the connected rain hopper. HL Hutterer & Lechner reacted on this challenge with its new rain hopper HL600N. What is good, staid, at least a lot has been improved!

- **Drain capacity:** 10 litres / second: more than 50% improved!
- **Connection** of the rainwater pipe: up to diameter 120mm possible
- **Outlet connection:** DN110 and DN125 in one piece
- **Downpipe connection:** Eccentrically and horizontally variable; with 50mm excess length, to compensate vertical dilatations of the downpipe
- **Lid and flap:** equipped with rubber gaskets - this reduces the raising of sewage smell, if connected to a faeces sewer
- **Leaf catcher:** Bigger and equipped with an overflow tube; should the basket be full of leafs, the overflow tube still cares for enough drain capacity
- **New handle:** easy opening of the lid


HL600NHO Rain hopper with horizontal inlet - delivery from June 2017

HL600NGHO: With visible parts made of cast iron - delivery from July 2017



With curtain walls the downpipe very often is hidden between the brick wall and the curtain facade. In this case a normal rain hopper may not be used, as the opening of the lid no longer is possible. Beside of that there has to be a watertight connection between downpipe and rain hopper. We have got the solution: HL600NHO! With all advantages of the new rain hopper HL600N, but with a watertight socket connection DN110!

HL601i Extension „Individual“- delivery from July 2017




The perfect accessory to create your individual pavement design around the house

HL Rain hoppers – Products – Data

HL600N High capacity rain hopper with flexible ball joint

HL600NG Rain hopper like HL600N, but with visible parts made of cast iron



Data	
Capacity	DN100: 10l/s DN125: 11l/s
Material	HL600N: PP HL600NG: PP/Guss
Inlet	Pipe joints DN80, DN100, DN120
Outlet	DN110 or DN125, horizontally and vertically adjustable from 0° to 90°
Trap	Frost proofed flap with rubber gasket
Standard	DIN 12056, Önorm B 2501
Recommended for	Connection downpipe to sewer with inspection possibility
Including	Leaf catcher with overflow, with pipe joints for downpipes Ø 80, 100, 120 and lid with rubber gasket
Add. information	Suitable for outdoor



HL-No	Dimension	Surface	Weight	EAN	Piece/package
600N	DN110/125	PP		+044122	1
600NG	DN110/125	Guss		+044696	1

HL601i Extension for individual pavement styling

Data	
Material	PP
Height	5 cm
Recomm. for	Filling of gravel, tiles stones...to style your individual pavement around the house. Equipped with lid for easy cleaning and maintenance




HL-No	Dimension	Weight	EAN	Piece/package
601i	196x184 mm		+044191	1


HL600NHO Rain hopper with horizontal inlet for curtain walls
HL600NGHO Rain hopper like HL600NHO, but with visible parts made of cast iron

Data	
Capacity	DN100: 10l/s DN125: 11l/s HL600NHO: PP HL600NGHO:
Material	PP/Cast iron
Inlet	DN110 socket
Outlet	DN110 or DN125, horizontally and vertically adjustable from 0° to 90°
Trap	Frost proofed flap with rubber gasket
Standard	DIN 12056, Önorm B 2501
Recomm. for	Connection of downpipe to sewer behind a curtain wall
Including	Leaf catcher with overflow
Add. information	Suitable for outdoor

HL600NHO



HL600NGHO



HL600NHO HL600NGHO



HL-No	Dimension	Surface	Weight	EAN	Piece/package
600NHO	DN110/125	PP			1
600NGHO	DN110/125	Cast iron			1